

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® EZ Care Floor Coating Remover End Use Dilution

Version 1.0

Print Date 07/20/2023

Revision Date 01/05/2023

SDS Number 350000043494

GEN_SOF Number 77528

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Product name : SC Johnson Professional® EZ Care Floor Coating Remover end use dilution

Recommended use : Floor Cleaner

Restrictions on use : Use only as directed on label

Manufacturer, importer, supplier : S.C. Johnson & Son, Inc.
1525 Howe Street
Racine WI 53403-2236

Telephone : +1-800-558-5252

Emergency telephone number : 24 Hour Medical Emergency Phone: (866)231-5406
24 Hour Transport Emergency Phone: (800)424-9300

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

This product does not meet the criteria for classification in any hazard class according to regulation OSHA 29 CFR 1910.1200.

Labelling

Precautionary statements

Keep out of reach of children.

Other hazards : None identified

3. COMPOSITION/INFORMATION ON INGREDIENTS

This product does not contain hazardous chemicals at or above a reportable level as defined by OSHA 29 CFR 1910.1200

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® EZ Care Floor Coating Remover End Use Dilution

Version 1.0

Print Date 07/20/2023

Revision Date 01/05/2023

SDS Number 350000043494

GEN_SOF Number 77528

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

4. FIRST AID MEASURES

Description of first aid measures

Eye contact : No special requirements

Skin contact : No special requirements

Inhalation : No special requirements.

Ingestion : No special requirements

Most important symptoms and effects, both acute and delayed

Eyes : No adverse effects expected when used as directed.

Skin effect : No adverse effects expected when used as directed.

Inhalation : May cause respiratory tract irritation.

Ingestion : No adverse effects expected when used as directed.

Indication of any immediate medical attention and special treatment needed

See Description of first aid measures unless otherwise stated.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Specific hazards during firefighting : Container may melt and leak in heat of fire.

Further information : Fight fire with normal precautions from a reasonable distance. Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® EZ Care Floor Coating Remover End Use Dilution

Version 1.0

Print Date 07/20/2023

Revision Date 01/05/2023

SDS Number 350000043494

GEN_SOF Number 77528

apparatus.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions** : Wash thoroughly after handling.
- Environmental precautions** : Outside of normal use, avoid release to the environment.
- Methods and materials for containment and cleaning up** : Dike large spills.
Clean residue from spill site.

7. HANDLING AND STORAGE

- Handling**
- Precautions for safe handling** : Avoid contact with skin, eyes and clothing.
For personal protection see section 8.
KEEP OUT OF REACH OF CHILDREN AND PETS.
- Advice on protection against fire and explosion** : Normal measures for preventive fire protection.
- Storage**
- Requirements for storage areas and containers** : Keep container closed when not in use.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

ACGIH or OSHA exposure limits have not been established for this product or reportable ingredients unless noted in the table above.

Personal protective equipment

- Respiratory protection** : No special requirements.
- Hand protection** : No special requirements.
- Eye protection** : No special requirements.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® EZ Care Floor Coating Remover End Use Dilution

Version 1.0

Print Date 07/20/2023

Revision Date 01/05/2023

SDS Number 350000043494

GEN_SOF Number 77528

Skin and body protection : No special requirements.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : liquid

Color : colourless

Odour : Fruity Floral

Odour Threshold : Test not applicable for this product type

pH : 11.3

Melting point/freezing point : Test not applicable for this product type

Initial boiling point and boiling range : Test not applicable for this product type

Flash point : > 93.4 °C
> 200.12 °F
Method: Tag Closed Cup (TCC)

Evaporation rate : Test not applicable for this product type

Flammability (solid, gas) : The product is not flammable.

Upper/lower flammability or explosive limits : Test not applicable for this product type

Vapour pressure : Test not applicable for this product type

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® EZ Care Floor Coating Remover End Use Dilution

Version 1.0

Print Date 07/20/2023

Revision Date 01/05/2023

SDS Number 350000043494

GEN_SOF Number 77528

Vapour density	: Test not applicable for this product type	
Relative density	: 8.24 g/cm3	
Solubility(ies)	: soluble	
Partition coefficient: n-octanol/water	: Test not applicable for this product type	
Auto-ignition temperature	: Test not applicable for this product type	
Decomposition temperature	: Test not applicable for this product type	
Viscosity, dynamic	: Test not applicable for this product type	
Viscosity, kinematic	: Test not applicable for this product type	
Oxidizing properties	: Test not applicable for this product type	
Volatile Organic Compounds Total VOC (wt. %)*	: 0.5 % - additional exemptions may apply *as defined by US Federal and State Consumer Product Regulations	
Other information	: None identified	:

10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under recommended storage conditions.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® EZ Care Floor Coating Remover End Use Dilution

Version 1.0

Print Date 07/20/2023

Revision Date 01/05/2023

SDS Number 350000043494

GEN_SOF Number 77528

- Possibility of hazardous reactions** : If accidental mixing occurs and toxic gas is formed, exit area immediately. Do not return until well ventilated.
- Conditions to avoid** : Direct sources of heat.
- Incompatible materials** : Do not mix with bleach or any other household cleaners.
- Incompatible materials** : Do not mix with bleach or any other household cleaners.
Strong bases
- Hazardous decomposition products** : Thermal decomposition can lead to release of irritating gases and vapours.

11. TOXICOLOGICAL INFORMATION

- Acute oral toxicity** : LD50 > 5000 mg/kg
- Acute inhalation toxicity** : LC50 > 10 mg/L
- Acute dermal toxicity** : LD50 > 5000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin corrosion/irritation	No classification proposed	-
Serious eye	No classification proposed	-

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**SC Johnson Professional® EZ Care Floor Coating Remover End Use Dilution**

Version 1.0

Print Date 07/20/2023

Revision Date 01/05/2023

SDS Number 350000043494

GEN_SOF Number 77528

damage/eye irritation		
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical Condition : None known.

12. ECOLOGICAL INFORMATION

Product : The product itself has not been tested.

Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

No environmental data required.

Other adverse effects : None known.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® EZ Care Floor Coating Remover End Use Dilution

Version 1.0

Print Date 07/20/2023

Revision Date 01/05/2023

SDS Number 350000043494

GEN_SOF Number 77528

13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

Land transport

Not classified as dangerous in the meaning of transport regulations.

Sea transport

Not classified as dangerous in the meaning of transport regulations.

Air transport

Not classified as dangerous in the meaning of transport regulations.

15. REGULATORY INFORMATION

Notification status : All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

California Prop. 65 : This product is not subject to the reporting requirements under California's Proposition 65.

State Right To Know

No components are subject to the Massachusetts Right to Know Act.		
No components are subject to the Minnesota "Right To Know" Act		
No components are subject to the New Jersey "Right To Know" Act		
Pennsylvania RTKL	Water	7732-18-5

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® EZ Care Floor Coating Remover End Use Dilution

Version 1.0

Print Date 07/20/2023

Revision Date 01/05/2023

SDS Number 350000043494

GEN_SOF Number 77528

16. OTHER INFORMATION

HMIS Ratings

Health	0
Flammability	0
Reactivity	0

NFPA Ratings

Health	0
Fire	0
Reactivity	0
Special	-

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment & Regulatory Affairs (GSARA)
-------------	--

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® EZ CARE FLOOR COATING REMOVER

Version 1.0

Print Date 07/20/2023

Revision Date 11/23/2022

SDS Number 350000043155

GEN_SOF Number 77245

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Product name : SC Johnson Professional® EZ CARE FLOOR COATING REMOVER

Recommended use : This product is intended to be diluted prior to use.

Restrictions on use : Use only as directed on label

Manufacturer, importer, supplier : S.C. Johnson & Son, Inc.
1525 Howe Street
Racine WI 53403-2236

Telephone : +1-800-558-5252

Emergency telephone number : 24 Hour Medical Emergency Phone: (866)231-5406
24 Hour Transport Emergency Phone: (800)424-9300

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

Hazard classification	Hazard category	Hazards identification
Acute toxicity	Category 4	Harmful if swallowed.
Acute toxicity	Category 4	Harmful if inhaled.
Skin corrosion	Category 1B	Causes severe skin burns and eye damage.
Serious eye damage	Category 1	Causes serious eye damage.

Labelling

Hazard symbols

Corrosion
Exclamation mark

Signal word

Danger

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® EZ CARE FLOOR COATING REMOVER

Version 1.0

Print Date 07/20/2023

Revision Date 11/23/2022

SDS Number 350000043155

GEN_SOF Number 77245

Hazard statements

Harmful if swallowed or if inhaled.

Causes severe skin burns and eye damage.

Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Immediately call a POISON CENTER/doctor.

Specific treatment (see supplemental first aid instructions on this label).

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/ container to an approved incineration plant.

Wear protective gloves.

Do not breathe dust or mist.

Avoid breathing spray.

Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Other hazards : None identified

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-No.	Weight percent
2-(2-Aminoethoxy)ethanol	929-06-6	30.00 - 60.00
Isopropanolamine	78-96-6	10.00 - 30.00
9-Decenamide, N,N-dimethyl-	1356964-77-6	10.00 - 30.00
Oxirane, 2-methyl-, polymer with oxirane, mono(2-propylheptyl) ether (EO=7)	166736-08-9	5.00 - 10.00
Fatty Acid, C8-18 and C18 Unsaturated	67701-05-7	1.00 - 5.00

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® EZ CARE FLOOR COATING REMOVER

Version 1.0

Print Date 07/20/2023

Revision Date 11/23/2022

SDS Number 350000043155

GEN_SOF Number 77245

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

4. FIRST AID MEASURES

Description of first aid measures

- Eye contact** : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Get medical attention immediately.
- Skin contact** : IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER/doctor.
- Inhalation** : IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
- Ingestion** : IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

- Eyes** : Causes serious eye damage.
- Skin effect** : Causes severe skin burns.
No adverse effects expected when used as directed.
- Inhalation** : May cause respiratory tract irritation.
- Ingestion** : Harmful if swallowed.
Causes digestive tract burns.
No adverse effects expected when used as directed.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® EZ CARE FLOOR COATING REMOVER

Version 1.0

Print Date 07/20/2023

Revision Date 11/23/2022

SDS Number 350000043155

GEN_SOF Number 77245

Indication of any immediate medical attention and special treatment needed

See Description of first aid measures unless otherwise stated.

5. FIREFIGHTING MEASURES

- Suitable extinguishing media** : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Specific hazards during firefighting** : Container may melt and leak in heat of fire.
- Further information** : Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions** : Wear personal protective equipment.
Wash thoroughly after handling.
- Environmental precautions** : Outside of normal use, avoid release to the environment.
- Methods and materials for containment and cleaning up** : Dike large spills.
Clean residue from spill site.

7. HANDLING AND STORAGE

- Handling**
- Precautions for safe handling** : Avoid contact with skin, eyes and clothing.
For personal protection see section 8.
Use only as directed.
KEEP OUT OF REACH OF CHILDREN AND PETS.
Avoid breathing vapours, mist or gas.
Use only outdoors or in a well-ventilated area.
Do not eat, drink or smoke when using this product.
Wash thoroughly after handling.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® EZ CARE FLOOR COATING REMOVER

Version 1.0

Print Date 07/20/2023

Revision Date 11/23/2022

SDS Number 350000043155

GEN_SOF Number 77245

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Storage

Requirements for storage areas and containers : Keep container closed when not in use.
Store locked up.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

ACGIH or OSHA exposure limits have not been established for this product or reportable ingredients unless noted in the table above.

Personal protective equipment

Respiratory protection : Use only with adequate ventilation.
Substantial amounts of mist/vapors can be controlled with local exhaust ventilation or respiratory protection.

Hand protection : Rubber gloves

Eye protection : Wear splash-resistant Chemical goggles.

Skin and body protection : Protective footwear.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. Smoking, eating and drinking should be prohibited in the application area.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : liquid

Color : orange

Odour : Fruity Floral

Odour Threshold : Test not applicable for this product type

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® EZ CARE FLOOR COATING REMOVER

Version 1.0

Print Date 07/20/2023

Revision Date 11/23/2022

SDS Number 350000043155

GEN_SOF Number 77245

pH	: 13.53
Melting point/freezing point	: Test not applicable for this product type
Initial boiling point and boiling range	: Test not applicable for this product type
Flash point	: > 93 °C > 199.4 °F Method: Tag Closed Cup (TCC)
Evaporation rate	: Test not applicable for this product type
Flammability (solid, gas)	: The product is not flammable.
Upper/lower flammability or explosive limits	: Test not applicable for this product type
Vapour pressure	: Test not applicable for this product type
Vapour density	: Test not applicable for this product type
Relative density	: 8.24 g/cm ³
Solubility(ies)	: soluble
Partition coefficient: n-octanol/water	: Test not applicable for this product type
Auto-ignition temperature	: Test not applicable for this product type
Decomposition temperature	: Test not applicable for this product type

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® EZ CARE FLOOR COATING REMOVER

Version 1.0

Print Date 07/20/2023

Revision Date 11/23/2022

SDS Number 350000043155

GEN_SOF Number 77245

Viscosity, dynamic	: Test not applicable for this product type	
Viscosity, kinematic	: Test not applicable for this product type	
Oxidizing properties	: Test not applicable for this product type	
Volatile Organic Compounds Total VOC (wt. %)*	: 26.9 % - additional exemptions may apply *as defined by US Federal and State Consumer Product Regulations	
Other information	: None identified	:

10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under recommended storage conditions.
Possibility of hazardous reactions	: If accidental mixing occurs and toxic gas is formed, exit area immediately. Do not return until well ventilated.
Conditions to avoid	: Direct sources of heat.
Incompatible materials	: Do not mix with bleach or any other household cleaners. Strong bases
Incompatible materials	: Do not mix with bleach or any other household cleaners. Strong bases
Hazardous decomposition products	: Thermal decomposition can lead to release of irritating gases and vapours.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**SC Johnson Professional® EZ CARE FLOOR COATING REMOVER**

Version 1.0

Print Date 07/20/2023

Revision Date 11/23/2022

SDS Number 350000043155

GEN_SOF Number 77245

11. TOXICOLOGICAL INFORMATION**Acute oral toxicity** : LD50 1822 mg/kg**Acute inhalation toxicity** : LC50 3.9 mg/L**Acute dermal toxicity** : LD50 3244 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	Category 4	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	Category 4	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin corrosion	Category 1B	-
Serious eye damage	Category 1	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**SC Johnson Professional® EZ CARE FLOOR COATING REMOVER**

Version 1.0

Print Date 07/20/2023

Revision Date 11/23/2022

SDS Number 350000043155

GEN_SOF Number 77245

Aspiration hazard	No classification proposed	-
-------------------	----------------------------	---

Aggravated Medical Condition

: Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc. may be more susceptible to irritating effects

12. ECOLOGICAL INFORMATION

Product : The product itself has not been tested.

Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

Toxicity to fish

Components	End point	Species	Value	Exposure time
2-(2-Aminoethoxy)ethanol	static test LC50 static test LC50	Leuciscus idus (Golden orfe) Leuciscus idus (Golden orfe)	460 mg/l 460 mg/l	96 h 96 h
Isopropanolamine	static test LC50	Leuciscus idus (Golden orfe)	215 mg/l	96 h
9-Decenamide, N,N-dimethyl-	LC50 NOEC Read-across (Analogy)	Fish Danio rerio (zebra fish)	> 7.5 mg/l 0.71 mg/l	 35 d
Oxirane, 2-methyl-, polymer with oxirane, mono(2-propylheptyl) ether (EO=7)	LC50	Danio rerio (zebra fish)	10 - 100 mg/l	96 h

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**SC Johnson Professional® EZ CARE FLOOR COATING REMOVER**

Version 1.0

Print Date 07/20/2023

Revision Date 11/23/2022

SDS Number 350000043155

GEN_SOF Number 77245

Fatty Acid, C8-18 and C18 Unsaturated	LC50 Read-across (Analogy) OECD Test Guideline 203	Fish	5 mg/l	96 h
---------------------------------------	--	------	--------	------

Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
2-(2-Aminoethoxy)ethanol	static test EC50	Daphnia magna (Water flea)	189 mg/l	48 h
Isopropanolamine	static test EC50	Daphnia magna (Water flea)	108.82 mg/l	48 h
9-Decenamide, N,N-dimethyl-	EC50 No data available NOEC	Daphnia (water flea)	2.8 mg/l	
		Daphnia	0.28 mg/l	
Oxirane, 2-methyl-, polymer with oxirane, mono(2-propylheptyl) ether (EO=7)	EC50	Daphnia (water flea)	10 - 100 mg/l	48 h
Fatty Acid, C8-18 and C18 Unsaturated	EC50 Read-across (Analogy)	Daphnia magna (Water flea)	3.6 mg/l	48 h

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**SC Johnson Professional® EZ CARE FLOOR COATING REMOVER**

Version 1.0

Print Date 07/20/2023

Revision Date 11/23/2022

SDS Number 350000043155

GEN_SOF Number 77245

	OECD Test Guideline 202			
--	----------------------------------	--	--	--

Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
2-(2-Aminoethoxy)ethanol	NOEC	Desmodesmus subspicatus	62.5 mg/l	72 h
Isopropanolamine	static test EC50	Desmodesmus subspicatus (green algae)	32.7 mg/l	72 h
9-Decenamide, N,N-dimethyl-	No data available			
Oxirane, 2-methyl-, polymer with oxirane, mono(2-propylheptyl) ether (EO=7)	EC50	Scenedesmus quadricauda (Green algae)	10 - 100 mg/l	72 h
Fatty Acid, C8-18 and C18 Unsaturated	static test EC50 Measured OECD Test Guideline 201	Pseudokirchneriella subcapitata (green algae)	0.9 mg/l	72 h

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
2-(2-Aminoethoxy)ethanol	90 %	7 d	Readily biodegradable.
Isopropanolamine	>= 78 %	28 d	Readily biodegradable.
9-Decenamide, N,N-dimethyl-	No data available		Readily biodegradable.
Oxirane, 2-methyl-, polymer with oxirane, mono(2-	> 60 %	28 d	Readily biodegradable.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**SC Johnson Professional® EZ CARE FLOOR COATING REMOVER**

Version 1.0

Print Date 07/20/2023

Revision Date 11/23/2022

SDS Number 350000043155

GEN_SOF Number 77245

propylheptyl) ether (EO=7)			
Fatty Acid, C8-18 and C18 Unsaturated	No data available		Readily biodegradable.

Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n-Octanol/water (log)
2-(2-Aminoethoxy)ethanol	No data available	No data available
Isopropanolamine	0.11 estimated	-0.94
9-Decenamide, N,N-dimethyl-	No data available	3.17
Oxirane, 2-methyl-, polymer with oxirane, mono(2-propylheptyl) ether (EO=7)	No data available	No data available
Fatty Acid, C8-18 and C18 Unsaturated	No data available	3.33

Mobility

Component	End point	Value
2-(2-Aminoethoxy)ethanol	No data available	
Isopropanolamine	Koc	1.8 estimated
9-Decenamide, N,N-dimethyl-	No data available	
Oxirane, 2-methyl-, polymer with oxirane, mono(2-propylheptyl) ether (EO=7)	No data available	-
Fatty Acid, C8-18 and C18 Unsaturated	No data available	

PBT and vPvB assessment

Component	Results
2-(2-Aminoethoxy)ethanol	Not fulfilling PBT and vPvB criteria
Isopropanolamine	Fulfilling PBT and vPvB criteria
9-Decenamide, N,N-dimethyl-	Not fulfilling PBT and vPvB criteria
Oxirane, 2-methyl-, polymer	Not fulfilling PBT and vPvB criteria

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional® EZ CARE FLOOR COATING REMOVER

Version 1.0

Print Date 07/20/2023

Revision Date 11/23/2022

SDS Number 350000043155

GEN_SOF Number 77245

with oxirane, mono(2-propylheptyl) ether (EO=7)	
Fatty Acid, C8-18 and C18 Unsaturated	Not fulfilling PBT and vPvB criteria

Other adverse effects : None known.

13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**SC Johnson Professional® EZ CARE FLOOR COATING REMOVER**

Version 1.0

Print Date 07/20/2023

Revision Date 11/23/2022

SDS Number 350000043155

GEN_SOF Number 77245

	Land transport	Sea transport	Air transport
UN number	2735	2735	2735
UN proper shipping name	AMINES, LIQUID, CORROSIVE, N.O.S. (Isopropanolamine, 2-(2-Aminoethoxy)ethanol), 8, II	AMINES, LIQUID, CORROSIVE, N.O.S. (Isopropanolamine, 2-(2-Aminoethoxy)ethanol), 8, II	AMINES, LIQUID, CORROSIVE, N.O.S. (Isopropanolamine, 2-(2-Aminoethoxy)ethanol), 8, II
Transport hazard class(es)	8	8	8
Packing group	II	II	II
Environmental hazards	-	-	-
Special precautions for user	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Product not transported as bulk.	Product not transported as bulk.	Product not transported as bulk.

15. REGULATORY INFORMATION

- Notification status** : All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.
- California Prop. 65** : This product is not subject to the reporting requirements under California's Proposition 65.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**SC Johnson Professional® EZ CARE FLOOR COATING REMOVER**

Version 1.0

Print Date 07/20/2023

Revision Date 11/23/2022

SDS Number 350000043155

GEN_SOF Number 77245

16. OTHER INFORMATION**HMIS Ratings**

Health	3
Flammability	1
Reactivity	0

NFPA Ratings

Health	3
Fire	1
Reactivity	0
Special	-

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment & Regulatory Affairs (GSARA)
-------------	--